

Fuel Injection Racing Secrets

index of terms

<http://www.racecarbook.com>

A

AA/GS drag race class - 24, 182
Abbreviations - 183
Accumulator (fuel line) - 87, 88
Advance, spark - 49, 49, 86, 107, 171
Advanced Control Devices (throttle control) - 179
Aeration problem - 37-40, 88-89
Aerodynamics - 20, 45
Air density - 137, 158-61, 188-89
Air density gauge - 137, 160
Air idle control - 25-26
Air in the fuel system - 88, 90
Air purging - 19, 88
Air scoop - 15, 21, 131, 140
Air to fuel ratio (A/F, AFR) - 5, 10, 17, 63, 67, 84, 85, 133, 135, 161, 162, 165
Air valve - 5, 20, 25, 53, 105, 108-09, 139
Alcohol - 5, 9-19, 21, 24-26, 29-31, 40-41, 44, 48, 50, 51, 54-58, 60, 63, 71, 73, 78-79, 81-84, 90, 93, 95, 99-100, 103, 105, 111, 113-14, 117, 119-31, 135-36, 138, 142, 144, 148, 150-52, 160-62, 165, 168-69, 176, 181, 184
Alcohol fuel purity - 40, 83
All Engine Machine (Van Heskett) - 182
Altered drag car - 13, 21, 85-86, 93, 107, 128, 148
Alternatives to FI - 139
Aluminum coating - 29
Aluminum fuel tank - 28-29, 40
AMC - 126
Angelucci Performance Products - 3, 180
Anodize - 29, 91, 110
Author's blown alcohol hemi - cover, 12, 13, 20, 94-96, 127, 129-133, 148-151, 156-170, 175
Auto show vehicles - 11, 23, 139-143
Auto Trend Development (EFI) - 182

B

Backfiring - 5, 53, 60, 66, 68, 69, 93, 94, 96-97, 115, 136, 165
BAE - 180
Bang the Blower - 5, 11, 69
Barometer - 132-33, 137-38, 188-89
Barrel Valve - 15, 16-19, 23, 30, 52-65, 67-69, 71, 78-79, 81, 90-93, 101, 103, 105-06, 108-09, 111-12, 130-32, 134-35, 137-38, 141, 144
Barrel valve, used - 53-54, 65
Barrel valve functions - 53, 55-56
Barrel valve output ports - 52, 56
Barrel valve phase diagram - 53-54, 68
Barrel valve spool overshoot - 59
BDS Superchargers - 178

Biondo Racing Prod., Inc. (throttle control) - 179
 Blower - 3, 5, 11-12, 14-15, 17-20, 24-26, 39, 48, 59-60, 62-64, 66-70, 74, 77, 84-86, 88-89, 92-97, 100, 102, 107, 111-12, 114, 119-23, 125-30, 132-33, 136, 139-42, 151-58, 160, 162, 168, 171, 177-78, 182, 184-85, 188-89
 Blower air flow - 154, 156-57 04 24 164 665
 Blower belt - 92-93, 77, 102, 151
 Blower lubrication - 93, 94
 Blower overdrive - 24, 48-49, 60, 74, 86, 95-96, 100, 119-21, 132-33, 151, 156-58, 162, 171
 Blower, rear mounted - 112
 Blower Shop - 3, 178, 185
 Blowing Way the Tire - 5
 Blown - 5, 9-15, 17, 19-20, 24, 26, 40-41, 44-45, 48, 59, 62, 64, 71, 73, 78, 80, 82, 84, 93-94, 96, 99-100, 103, 109, 114, 119-23, 125-28, 132, 136, 140, 142, 144, 148, 150-53, 157, 159-62, 168
 Blown alcohol - 9-14, 19, 24, 26, 40-41, 44, 48, 78, 93, 99-100, 103, 114, 122-23, 125, 127, 142, 144, 148, 150-52, 160-62, 168
 Blown alcohol engine specs. - 150-51
 Boat show - 9, 11
 Boats, boat racing - 9-11, 18-19, 22, 24, 28, 31, 33, 37, 40-41, 50, 62-63, 66, 68, 73-74, 80, 86-87, 95, 97, 101, 119, 123-25, 128, 145, 150
 Boost - 17, 19, 68, 94, 97, 107, 113, 119-24, 136, 155-56, 158
 Bosch Fuel Injection - 9
 Bow tie - 5
 Bracket racing - 16-17, 19, 79, 86, 119, 150
 Brake specific fuel consumption (BSFC) - 72, 168, 183
 Braided hose size - 192
 Budget - 9
 Burnout - 5, 13, 20, 26, 30-31, 33, 35, 37, 39, 54, 58, 65-67, 79, 95, 107-09, 114-15, 125, 134, 137, 168
 Burnout tuning, drag racing - 66
 Butterflies - 25-26, 69, 105-06, 137
 Bypass - 15-17, 19, 24, 37-38, 44, 47-49, 52-60, 63-64, 67-68, 71, 73-79, 81-82, 85, 88-90, 96-97, 103, 110, 125, 131, 134-35, 138, 143, 151-52, 164-68, 171, 188-89 193

C

Calculation, BSFC - 72, 168
 Calculation, blower overdrive - 157
 Calculation, drag race performance - 126, 127
 Calculation, fuel cc's per revolution - 163
 Calculation, fuel pressure - 169
 Calculation, fuel pump flow - 50, 73, 163-64
 Calculation, jet area - 16-168, 187
 Calculation, manifold boost reading - 121-22
 Calculation, compression ratio - 120-23, 150
 Calculation, fuel injection jetting - 134, 147, 152
 Calculation, fuel pressure - 169, 170
 Calculation, fuel pump GPM - 50
 Calculation, fuel tank size - 30
 Calculation, Hilborn nozzle flow - 73, 74
 Calculation, normally aspirated - 153
 Calculation, forced induction - 153, 154

Calculators, FI jetting - 84, 128, 133, 138, 146, 152, 162, 165, 168-69, 181
California Injected FC Asssoc. - 3
Carburetor (carb.) - 5, 10, 14, 20-21, 49, 51, 70, 84, 88, 101-02, 119, 128, 139-41, 144
Casner Racing (alcohol fuel systems) - 181
Cavitation, fuel pump inlet - 49
Center line (CL) - 5, 46
Centrifugal fuel pump - 45
CFM - 132, 139, 172
Charge-air cooling - 5, 122-23
Checklist - 115-16, 137
Circle track racing - 10, 135
Clutch setup - 148
Clutch equipped - 62-63
Cold engine start-up - 27
Compression ratio, methanol - 120
Compression ratio, gasoline - 122-23
Conversions, liquid units - 30
Corrosion - 29, 34, 44, 65, 77, 118
Corsa Industries (data acquisition) - 3, 179
Cost analysis - 9, 12, 13, 144
Cost per horsepower - 12
Credits - 5 (Acknowledgement), 185
Crower - 3, 9, 20, 22, 25-26, 58, 94, 127, 129-31, 137, 148-49, 151

D

Data recording - 17, 51
Dedenbear Products, Inc. (throttle control) - 179
Diesel - 9, 73
Direct cylinder injection - 19
Dirt track - 17, 35
Disassembly, barrel valve - 55, 112
Distribution, fuel - 18, 55-56, 69, 82, 93-100, 111
Distribution block - 10, 14-18, 52, 55-56, 69, 78, 93-94, 98-100, 103, 110-11, 131
dLi Dick Landy Industries - 3, 151
Don Jackson Engineering - 3, 84, 154, 176, 184
Drag race - 5, 9, 10-13, 15, 21-22, 24, 30-31, 33, 41, 45, 75, 82, 86, 100, 107, 114, 119, 123-25, 127, 133, 135, 139, 144, 148-49, 152, 160, 162, 182
Dragster - 5, 10, 12, 14, 17-18, 31-32, 34-35, 45-46, 86-87, 89-90, 123, 150
drop the Hammer - 5, 40
dyno - 5, 11, 94, 152, 154, 170

E

Earl Performance Plumbing - 178
Edelbrock (EFI) - 182
EFI (electronic fuel injection) - 9, 66, 73, 142-143
Elapsed time (EL) - 5, 14
Electrical ground, fuel tank - 28
Enderle Fuel Injection - 3, 23, 59, 176, 184
Enderle 110 fuel pump - 45, 48, 131
Engine burned up - 14
Engine won't start - 14

Ethanol - 5, 119-20, 174-75

Example, author's FI racecar - cover, 12, 13, 20, 94-96, 125-132, A1-148, A2-150, A3-152

Exhaust temperature - 82

F

Filter, fuel - 17, 91-92, 118

Filter, nozzle - 92

Flat head - 10, 126

Flow bench - 16, 44, 49-50, 57, 59, 62, 68, 72, 78-79, 84-85, 88, 94, 97, 134, 144, 152, 158, 165, 167, 170, 177

Formula One - 12, 161

Frost at idle - 25-26

Fuel consumption - 41, 44, 161-162

Fuel flow, cc's / rev. - 162-63194 Fuel Injection Racing Secrets

Fuel Injection - 2-4, 6, 9-17, 19-25, 33, 37, 43, 46-48, 51, 53-54, 57, 59, 64-66, 68-70, 72-74, 76, 79, 84-88, 91-92, 99-102, 105, 110-11, 114-15, 122-23, 125-32, 134, 137-45, 147-48, 152-53, 158, 165, 167, 170, 176-77, 180, 182-85

Fuel line storage - 118

Fuel lines - 30, 38, 65, 83, 85, 89, 91-94, 98, 100, 102, 110-11, 113, 115-18, 131, 138, 142

Fuel lines, braided hose - 91, 93, 98, 100-01, 103-04, 110, 131

Fuel lines flexible vs. hard - 32, 90, 98, 100

Fuel lines fatigue - 98-99, 104, 110-11

Fuel line hose ends - 93, 101, 103-04, 110, 113

Fuel line annealing - 99

Fuel pressure - 169

Fuel pressure gauge - 50, 80-81

Fuel pump - 9-10, 14-19, 24, 30-33, 36-37, 43-52-55, 57-59, 64-66, 72-81, 83, 86-93, 97, 100-01, 103, 111-14, 130-31, 133-34, 141, 143, 146, 152, 162-65, 171, 177, 180

Fuel pump backwards - 14, 35, 50

Fuel pump, cable driven - 44

Fuel pump, external - 44, 46

Fuel pump inlet cavitation - 49

Furl pump ratings - 48-49, 130

Fuel pump flow - 44, 48-51, 72-73, 78, 162-64, 171

Fuel pump maintenance - 50-51

Fuel shut-off - 17, 45, 76-79, 88, 92, 103, 110, 115

Fuel shut-off cable - 77-78

Fuel split between hat and port nozzles - 93-94, 97-98, 121-22, 164, 172, 174

Fuel split between nozzles and bypass - 164

Fuel tank - 5, 9-10, 15-18, 28-43, 47, 49, 57, 64, 75, 82-83, 86-92, 100, 103, 113-17, 131, 138, 143

Fuel tank baffles - 38

Fuel tank breather - 32-36, 39, 114

Fuels - 10-11, 48, 55-56, 82-84, 113, 117-120, 122, 146

Full throttle setting - 5, 12, 20, 55-56, 59, 62-69, 101, 106, 109

Fumes, fuel - 6-7, 30-32, 34-35, 116-117, 123

Funnycar (FC) - 3-4, 10, 12, 17-18, 29-31, 37, 81, 87, 94, 96, 100, 107, 109-10, 112, 114-15, 118, 125-26, 130, 133-34, 148-50, 161

4 cylinder - 126, 153-170, 175

G

G's - 5, 40
Gasoline - 10-11, 49, 52, 73, 84, 119-20, 122, 150
Gasoline jetting - 49, 172-74
Gasoline air to fuel ratios - 175
Gene Adams Performance - 176
Good-Guys - 3, 128
Good Vibrations (drag race parts) - 180
Goodrich (USA) Inc. (hoses) - 178

H

Hat - 5, 15, 18, 20, 24-26, 28, 47-48, 52, 55-56, 58, 70-71, 84, 88, 93-98, 100, 105, 108, 111-12, 115, 121-22, 129-30, 133, 138-39, 141, 155, 166, 168, 188-89
Hat nozzles - 56, 93-97, 100, 122
Hemi - 10, 12,-13, 20, 24, 60, 123, 126-28, 134, 140, 148, 150-51, 161-62, 181
Hilborn Fuel Injection - 3, 9, 14, 22-23, 43, 53, 69, 71-72, 92, 111, 128, 130, 142, 176, 184
Hilborn nozzle flow - 72-74
High pressure fuel injection - 73
High Speed - 10, 17-19, 31, 51-52, 56-57, 64, 74-76, 78-79, 85-86, 88, 90, 100, 103, 110, 115, 119, 133, 135-36, 138, 164, 167-68, 176, 188-89
High speed opening check with grease - 74
High speed boat racing - 10, 17
Horsepower per dollar - 11
Hose end assembly - 100, 103, 190
HP (horsepower) - 4, 6, 11-12, 19, 21, 31, 63, 66, 72, 111, 113-14, 120, 127-28, 130, 132-33, 138-39, 149-50, 153, 155, 168, 183

I

IHRA - 3, 125, 128
Id (identification) - 5, 114
Idle bypass - 17, 52-59, 64, 67, 81, 85, 88-89
Idle control - 16, 18, 25-26, 30, 67, 76
Idle high-low circuit - 27
Idle leak down - 26, 30-31, 59-62, 81, 137-38
Idle lope - 10, 59, 89, 114
Idle pressure - 59, 60-62, 67, 89-91, 97, 114, 188-89
Idle setting by ear - 60-61
Idle slot - 55-58, 75
Idle surge - 114
Infineon Raceway - 3195
Injector - 9, 10, 15, 18-20, 22-26, 30, 32-33, 48-49, 52-59, 64, 66, 70-71, 73, 76, 78, 82, 84, 88-94, 98, 100, 111-13, 115, 121, 129-32, 139-43, 155
Injector lines - 10, 15, 22-23, 32, 91, 93
Injector nozzle orifice designs - 71
Instrumentation - 80-81, 83-84, 152
Intake air flow chart - 139

J

JAZ Products (fuel cells) - 181
Jet area - 19, 38, 49, 78-79, 82-83, 134, 164-67, 169-74
Jet can - 17, 64, 70, 74-75, 84, 90
Jet diameter & area table - 187
Jet size increments - 95

Jetting - 31, 47-48, 59, 61, 82, 84, 86, 94-97, 99-101, 119, 122, 124, 130, 132-35, 137-38, 147, 152, 158, 162, 165, 168-69, 171, 184, 188-89

Jetting examples - 172

Jetting hat & port - 93, 100

Jetting too small - 14

K

KB (Keith Black Racing Engines) - 5, 96, 127, 137, 148, 151, 181, 184

Kinsler Fuel Injection - 3, 47, 122, 176, 184

K. J. Crawford, Inc. Fuel Injection - 177

Koffel's Place - 3, 181

L

land speed record runs - 10

Launch - 5, 13, 17-19, 27, 35, 39-40, 44, 54, 57-58, 62-64, 74, 85-86, 90, 102, 105-06, 108-09, 114, 119, 133, 148, 155, 171

Layouts, fuel injection - 9-10, 15-18, 132

Leak, fuel - 34-35, 38, 88, 101-102, 115

Leak settings - 31, 60, 85, 95

Leak down meter - 26, 30-31, 57, 59, 137-38

Lean air to fuel - 63

Lenco Transmissions - 180

Linkage - 15, 23, 25, 45, 53, 56-57, 59, 69, 105-06, 108-09

LJ's Racing Engines - 3

Lucas Fuel Injection - 9

M

Main bypass - 16-19, 47-48, 53, 55-59, 64, 67-68, 71, 73-76, 78-79, 81, 90, 96, 103, 110, 131, 135, 164, 167-68, 188-89

Main bypass, multiple circuits - 65, 75

Maintenance - 3, 12, 50, 65, 77, 83, 88, 102, 110, 115-17

Maintenance, fuel pump - 50

Magneto - 46, 95, 119, 128, 130, 134-35, 151

Manifold boost - 56, 94, 97, 121-22, 155-56

Marking fuel line hoses - 101, 104

Max'd out - 5, 24, 63, 95

Midget racing - 10

Moisture in alcohol - 120

Mooneyham Blowers - 3, 120, 151, 154, 178

MSD Ignition - 119

N

New driver ON, OFF, ON OFF - 106-07

NHRA - 3, 83, 125, 128, 148

Nitromethane (Nitro.) - 5, 10-11, 13, 15-16, 19, 26, 31 40-41, 45, 48, 52, 54-60, 63-65, 119, 122-23, 144, 172-75

Nitromethane jetting - 172, 173, 174

Nitromethane air to fuel ratios - 175

Nitrous oxide - 22

Normally aspirated - 5, 15, 20, 120, 152-53, 159

Nostalgia racing - 5, 13, 18, 24-25, 27, 45, 48, 52, 96, 123-25, 127, 142, 145, 148, 182

Nozzle air holes - 71

Nozzle nomenclature - 71

Nozzle, pop in style - 70
Nozzle, screw in style - 70

O

Off-shore boat racing - 10
Oil down - 6, 75
OSHA - 6, 28, 117, 120
Over drive, blower - 132-33
Over drive, fuel pump - 47-49, 131, 133, 180
Over pressure return - 15-16196 Fuel Injection Racing Secrets

P

Part throttle - 15-16, 53-56, 58-59, 62-63, 65-68
Pedaling - 6, 20, 66, 86, 135
Performance Motor Sports - 3, 129, 172-73, 182
Pete Jackson metering valve - 15, 106, 108
Pitot tube - 84, 154
Plenum - 15, 19, 94-96, 111
Pontiac - 9
Poppet valve - 16-17, 57, 74-75, 85, 88, 100, 118
Port nozzles - 18, 55-56, 70, 93, 96-98, 100, 122, 132
Port nozzle example - 96, 172
Power level calculation - 127
Pressure, fuel - 19, 46, 50-51, 54-55, 59, 62, 68-69, 73, 75, 79-80, 82-83, 93, 97, 101, 108-09, 132-134, 137, 164, 169-70
Pressure, high speed - 75, 85, 133
Pressure regulator - 75
Pressure testing fuel lines - 100-02, 104, 111, 113
Pressure transducers - 17
Primo - 6, 23
Problem & solutions - 14
Program, Quarter Jr. - 86, 133
Pro Mod - 6, 86
Pro Street - 6, 17, 31, 108-09, 139, 141
PSI supercharger - 17
Puke Tank - 6, 34
Pump relief - 16, 52-56, 58-68, 75-76, 79, 81, 103, 110, 131, 134-35
Pump relief pressure - 65, 66, 81
Purity, fuel - 40, 83
Purging - 19, 88-89, 115

R

Racepak (data acquisition) - 180
Ram tubes - 15, 20, 22-23, 52, 59, 139
Ram manifold - 15, 52
Rap (rapped) - 6, 25-26, 33, 46, 61, 63, 69, 77, 89, 91, 97, 107-08, 114, 119
Ratio of jet areas - 49, 82
RCD (accessory drives) - 180
Record keeping (log) - 171, 188, 189
References - 184
Refuelling practices - 113
Response - 63

Return fuel routing - 86-89
Revsing - 6, 61-63, 150
Rex Hutchison Racing Engines - 3, 177
Rich air to fuel - 63, 136
Right angle fittings - 101, 112
Rochester Fuel Injection - 9
Rons Fuel Injection - 3, 22, 129, 139, 177, 185
Roots blower - 17, 24, 70, 93, 96, 123, 126, 128, 132, 153-56, 178
Roots blower displacement - 154
Rotary valve engine - 10
Round off error - 171
Russell (hoses) - 178

S

Sacramento Raceway - 3
Safety warning - 2, 28-29, 31-32, 34, 57, 99, 115, 120
Scott centrifugal fuel pump - 45
Setup & maintenance - 138
Setup fuel injection - 12-14, 17, 22-23, 48, 51, 73, 110, 115, 125, 137, 143-44, 165
Short-shift - 6, 10
Show car - 22-24, 140-41, 143
Shut-off valve - 17, 45, 76-77, 93, 111, 113, 131
Slide valve engine - 10
Small block V-8 - 14
Spark plug gap - 95
Spark plug reading - 40, 48, 51, 54, 68, 82, 95-96, 100, 134-37, 165
Spring loaded poppet - 74-75, 85-88
Spool, barrel valve - 15, 52-53, 55-58, 60, 62-63, 69, 105, 131
Spool idle hole modification - 63
Spool wrong way - 69
Stacks, short or long - 23
Starting - 27
Starting, electric fuel pump bypass - 143
Storage, fuel lines - 103
Steve Woods Specialties - 3, 24, 67, 182
Street rod - 10, 22-23, 142
Summary, FI - 144
Szabo Publishing - 2
6 cylinder - 126, 153-170, 175-197

T

Team Eagle - 3, 17, 182
Temperature, engine - 48, 61, 81-82, 136-85
Temperature, exhaust - 54, 82
Tire shake - 41-42, 45, 79, 107, 115
The Blower Shop - 178
Thermometer - 83, 137-38
The Hain Company (accessory drives) - 180
Throttle setup - 16, 105
Throttle blade (butterflies) adjustment - 25, 137
Throttle body - 15-18, 20-22, 139, 144, 177

Throttle body, dual - 21, 214
Throttle location close to blower - 130
Throttle limiting devices - 54, 109 5
Throttle linkage - 53, 105, 108-09
Throttle sensitivity - 107-08
Thumb screw - 25
Timed Mechanical Injection - 9
Top alcohol - 13, 17-18, 44, 78, 93, 103, 128
Top fuel - 13, 18-19, 26-27, 44-45, 70, 73, 86, 93, 106, 123, 125, 130, 144, 152
Torque converter equipped - 59, 62, 64, 79, 89, 109, 114
Trailing - 41, 99, 111, 115
Transmission - 148
Trick - 6, 45, 98, 139
Trouble-shooting - 14, 55, 115
Tune-up, nozzle changes - 82
Tuning - 3, 10, 13, 15-16, 18-20, 47-49, 53, 55, 59-66, 68, 73-75, 81, 83-84, 86-87, 90, 92, 95, 97, 106, 112, 122-24, 129, 132-35, 137, 141-42, 145-47, 152-53, 158, 160, 171, 182
Turnbuckle, adjustable - 60, 105
23T body - 13, 21, 148

U

Unblown - 5, 6, 10, 20-21, 59, 62, 82, 84, 122-23, 132, 142, 152-53, 157, 160-62
Units & Abbreviations - 183
Underdrive, fuel pump - 47-49

V

Vane fuel pump - 43-45
Vent (fuel tank) - 9-10, 15-18, 32-36, 39
V-8 engine - 10-11, 14, 22, 24, 72, 92, 126, 139-40
VW - 126

W

Warning - 2, 28-29, 31-32, 34, 57, 99, 115, 120
Warning, fuel tank repair - 29
Waterman fuel pump - 45
Waterman Racing Components - 177
Wedge head - 10, 134, 161-62
Wizard's Warehouse (drag race parts) - 182
Wheel stander - 69, 128
Whipple supercharger - 17
www.airdensityonline.com - 20-133, 152, 159-60
www.racecarbook.com - 2, 128, 188-89
www.szabopublishing.com - 2

X

XRP, Inc. (hoses) - 179